


6200



## Compact Rider Sweeper

- Superior performance with efficient, one-pass sweeping and dust containment
- Superb maneuverability from compact size and easy operation
- Dramatically-reduced cleaning costs with highly reliable Tennant parts and engineering



## Expertly-designed 6200 sweeper offers effortless operation and increased productivity

Built with Tennant's superior quality parts and engineering, the 6200 delivers virtually continuous operation. Expect increased productivity with efficient one-pass cleaning, and multi-level dump hopper.

### Industry-leading sweeping and dust control

AutoAdjust™ engineering matches brush height to brush wear for sweeping of light dust and debris in one pass. The 6200's 2-stage dust control helps remove air-borne dust.

### Worry-free durability

Solid steel frame, hydraulic oil system and no-tool brush changes keep the reliable 6200 up and running, increasing machine uptime.

### Easy operation increases productivity

Excellent sightlines, easy-to-use controls, and the multi-level dump hopper makes this machine one of the easiest to operate! The hopper can automatically empty the debris directly into containers up to 4.5 ft / 1.37 m.



## MUST-HAVE OPTIONS

### Extend your cleaning reach

Access hard-to-reach areas with the optional instantly-activated vacuum wand.

### Enhance your capability

Quick Mop™ effectively dry mops smooth concrete or finished surfaces with the mop's wide, 5.5 ft / 1.67 m, path.


### Increase productivity

Dual side brushes expand the machine's sweeping reach to clean more floor space in less time.



## HIGH DUMP, MAXIMUM SAFETY, EASY ACCESS

A standard multi-level-dump hopper speeds cleaning by eliminating debris rehandling. The large capacity hopper lets you sweep more between dumpings.



- A** **Protect fixtures** and equipment as well as your sweeper with the rear bumper and corner rollers.
- B** **Maintain maximum cleaning power** with the patented AutoAdjust™ brush cavity that automatically adjusts as bristles shorten.
- C** **Thermo-Sentry®** monitors the hopper for dangerously high temperatures then initiates vacuum shut-downs.

- D** **Increase hopper-loading effectiveness** with the four-sided, front-loading hopper and a sweeping system that you can adjust to the type of debris.
- E** **Roto-molded plastic Duramer™ hopper** increases machine life and ensures zero hopper corrosion.
- F** **The VCS system** effectively contains dust and shakes filter pleats free of clogs.



## 6200 COMPACT RIDER SWEEPER

### FEATURES

#### Sweeping System

Cleaning path		
One sidebrush	42 in	1,070 mm
Two sidebrushes	55 in	1,400 mm
Main brush		
Main brush length (tubular)	28 in	710 mm
Main brush drive	Belt	Belt
Main brush change	No-tool	No-tool
Side brush diameter	20.5 in	520 mm
Debris hopper		
Volume capacity	4.4 ft <sup>3</sup>	125 L
Weight capacity	300 lb	136 kg
Dump height (variable to)	4.5 ft	1.37 m

#### Dust Control System

Filter system (dual stage, to 3 microns)		
Stage 1	Perma-Filter™	Perma-Filter™
Stage 2	49 ft <sup>2</sup> panel filter	4.6 m <sup>2</sup> panel filter
Dust filtration (to)	3 microns	3 microns
Vacuum fan speed	4300 rpm	4300 rpm

#### Propelling System

Battery package	235 Ah	
Propelling motor	0.75 hp	0.56 kW
Engine		
Gas/LPG: Air-Cooled Robin (max.)	11 hp	8.2 kW
Governed Speed 2200 rpm (mechanical)	6.5 hp	4.8 kW
Battery Model: Forward (variable to)	5.5 mph	9 km/h
IC Model: Forward (variable to)	6 mph	10 km/h
All Models: Reverse (variable to)	3 mph	4.8 km/h
Gradeability		
Full hopper	6.0 deg/11%	6.0 deg/11%
Empty hopper	10.0 deg/18%	10.0 deg/18%

#### Machine Dimensions

Length	77 in	1,960 mm
Width		
With one side brush	48.5 in	1,230 mm
With two side brushes	56 in	1,420 mm
Without side brush	42 in	1,050 mm
Height	56.5 in	1,440 mm
Weight		
Gasoline engine	1,408 lb	639 kg
Battery	2,034 lb	923 kg
Without batteries	1,644 lb	746 kg

**WARRANTY** — All parts (excluding batteries) have a 24-month / 2,000 hours of operation warranty under normal use and service. On-site labor coverage of warranty items for six (6) months.

### GENUINE TENNANT PARTS, SUPPLIES & SERVICE

#### Genuine Tennant Parts Advantage

Operate your machine with confidence by choosing genuine Tennant parts. Only authentic Tennant parts are engineered in conjunction with Tennant equipment. For years of worry-free operation, accept only genuine parts and supplies.

#### Industry's Only Factory-Direct Service Network

Tennant offers the only factory-trained, locally based network of 400+ service techs dedicated to keeping your cleaning program up and running.

### CONVENIENT & FLEXIBLE PURCHASING OPTIONS

Trust the industry leader to best understand your financing needs. Tennant Financial Services understand how you use your equipment, its value over time and how marketplace changes may affect you.

### SEEING IS BELIEVING

See why cleaning professionals depend on the 6200 indoor/outdoor power sweeper for total quality assurance. For a demonstration and additional information, call [800.553.8033](tel:800.553.8033).

#### Tennant

701 North Lilac Drive  
 P.O. Box 1452  
 Minneapolis, MN 55440-1452  
 800.553.8033  
 763.540.1200  
 In Quebec: 514.335.6061  
 f: 763.513.2112  
[www.tennantco.com](http://www.tennantco.com)  
[info@tennantco.com](mailto:info@tennantco.com)